


NEW PRODUCTS GUIDE

305900

Oil Filter Remover Set – 21 Piece

- Professional 21 piece set supplied in blow mould storage case
- Manufactured from premium aluminium material to provide a long service life
- For best results measure the oil filter canister size first and select the appropriate sized cup wrench to suit
- This master kit is suitable for most common makes and models and is an important addition to any professional automotive workshop
- Features 1/2" square drive for use with ratchet and 27mm hex head for use with supplied wrench



Contents

Part No.	Flutes	Size	Sq. Dr.	Part No.	Flutes	Size	Sq. Dr.
305901	14	64mm	1/2"	305907	15	89mm	1/2"
305902	14	67mm	1/2"	305908	15	91mm	1/2"
305903	14	74mm	1/2"	305909	15	92mm	1/2"
305903-1	15	75mm	1/2"	305910	15	95mm	1/2"
305903-2	8	74mm	1/2"	305910-1	12	91mm	1/2"
305903-3	15	74mm	1/2"	305911	12	76mm	1/2"
305903-4	14	73mm	1/2"	305911-1	15	79mm	1/2"
305903-5	30	73mm	1/2"	305912	14	86mm	1/2"
305904	15	79mm	1/2"	305913	15	91mm	1/2"
305905	15	73mm	1/2"	305914	15	101mm	1/2"
305906	18	84mm	1/2"				



305990

Oil Filter Remover Set – Truck 6 Piece

- Professional 6 piece set made from high quality aluminium
- High grade materials ensure cups provide long term service without wearing or breaking
- Designed to provide a secure grip on the filter to allow for easy and damage free removal
- Suits a wide range of heavy vehicle and truck applications
- Supplied with 37mm box wrench for firm adjustment
- Size range: 100.5-118mm
- Supplied in a handy blow mould storage case
- Application list included

Contents

Part No.	Flutes	Size	Sq. Dr.	Part No.	Flutes	Size	Sq. Dr.
305991	15	100.5mm	1/2"	305994	16	108mm	1/2"
305992	15	106mm	1/2"	305995	17	110mm	1/2"
305993	16	106mm	1/2"	305996	18	118mm	1/2"



321048 | 321049 | 321050

Tap & Die Ratchet Handle Sets

- Includes ratchet handle, pitch gauge, tap holders and die holder
- Unique ratcheting handle design is ideal for use in confined areas
- Ideal set for automotive and industrial applications
- Available in metric or SAE 40 piece sets and a master 75 piece set
- Supplied in handy blow mould storage case
- Size range: M3 x 0.5 – M12 x 1.75 Metric and 4–12 UNC/UNF, 1/4–1/2 UNC/UNF SAE



Contents

Description	Size	Kit Part No.		
		321048	321049	321050
Ratchet Handle	245mm	•	•	•
Tap Holder	1/2"	•	•	•
Tap Holder	1/4"	•	•	•
Die Holder	29mm	•	•	•
Thread Pitch Gauge Metric	0.5 - 1.75mm	•		•
Thread Pitch Gauge SAE	12-40 TPI		•	•
Screwdriver	95mm	•	•	•



321048



321049



321050

Contents

UNC Taps	UNC Dies	UNF Taps	UNF Dies	METRIC Taps	METRIC Dies	BSP Tap	BSP Die	NPT Tap	NPT Die	Kit Part No.
4 x 40 UNC	4 x 40 UNC	10 x 32 UNF	10 x 32 UNF	M3 x 0.5	M3 x 0.5	1/8 BSP 28	1/8 BSP 28	1/8 X 27 NPT	1/8 X 27 NPT	
6 x 32 UNC	6 x 32 UNC	1/4 x 28 UNF	1/4 x 28 UNF	M3 x 0.6	M3 x 0.6					321049
8 x 32 UNC	8 x 32 UNC	5/16 x 24 UNF	5/16 x 24 UNF	M4 x 0.7	M4 x 0.7					321050
10 x 24 UNC	10 x 24 UNC	3/8 x 24 UNF	3/8 x 24 UNF	M4 x 0.75	M4 x 0.75					321050
12 x 24 UNC	12 x 24 UNC	7/16 x 20 UNF	7/16 x 20 UNF	M5 x 0.8	M5 x 0.8					321050
1/4 x 20 UNC	1/4 x 20 UNC	1/2 x 20 UNF	1/2 x 20 UNF	M5 x 0.9	M5 x 0.9					321050
5/16 x 18 UNC	5/16 x 18 UNC			M6 x 1.0	M6 x 1.0					321050
3/8 x 16 UNC	3/8 x 16 UNC			M7 x 1.0	M7 x 1.0					321050
7/16 x 14 UNC	7/16 x 14 UNC			M8 x 1.25	M8 x 1.25					321050
1/2 x 13 UNC	1/2 x 13 UNC			M9 x 1.0	M9 x 1.0					321050
				M9 x 1.25	M9 x 1.25					321050
				M10 x 1.25	M10 x 1.25					321050
				M10 x 1.5	M10 x 1.5					321050
				M11 x 1.5	M11 x 1.5					321050
				M12 x 1.5	M12 x 1.5					321050
				M12 x 1.75	M12 x 1.75					321050
				•	•	•	•			321048
•	•	•	•					•	•	321049
•	•	•	•	•	•	•	•	•	•	321050

305150

Portable Bearing Packer – 95mm

- Handy tool for quickly packing bearings
- Simply apply pressure and old grease is forced out and evenly replaced by fresh grease
- Unique design allows for mess free operation
- Suitable for cars, trailers and light trucks
- Suits bearings 50–95mm in diameter
- User guide included



305161

Bearing Packer Heavy Duty – 170mm


- Suitable for heavy vehicle and industrial applications
- Simply apply pressure and old grease is forced out and evenly replaced by fresh grease
- Unique design allows for mess free operation
- Grease can be filled manually or with a grease gun
- Made from high quality durable aluminium alloy
- Suits bearings from 120-170mm in diameter
- Weight: 5.8kg



305151 | 305152

Fluid Change Syringe

- For neat, clean and accurate fluid suction and dispensing
- Suitable for engine oil, gear oil, differential oil etc
- Clear chamber allows for easy viewing and reduces cross contamination
- Made from a high quality composite plastic that is resistant to brake fluid and antifreeze
- Features non-roll and easy hold stabilising design
- In built end cap eliminates dripping and mess



Part No.	Capacity	Extension Hose
305151	1500ml	400mm
305152	200ml	200mm

310005

Brake Bleeder & Fluid Extractor

- Air operated brake bleeder simplifies bleeding of brake and clutch systems in automotive applications
- Unique rubber adaptor provides a tight seal around the bleed nipple to ensure leak free operation
- Perfect addition for any workshop or DIY use
- Uses standard workshop air supply via 1/4" BSP airline fitting
- Extraction rate: 1.6L/min
- Working pressure: 90 – 170 PSI
- Capacity: 1L
- User guide included



305160

Metal Line Fluid Stopper Set

- Clamps are used to seal off steel lines once disconnected
- Prevents fluid leaks and possible contamination during servicing
- Useful for fuel, brake, transmission and coolant lines
- Uniquely designed clamps can be used on either quick release metal lines or banjo style fittings
- Also included are line stoppers, useful for vacuum pipes and lines
- Suits 1/4", 5/16" and 3/8" diameter metal lines
- Supplied in a handy blow mould storage case



304046

Glow Plug Test Kit Multi Voltage

- Professional diagnostic kit used to identify the condition of glow plugs without removing them from the vehicle
- Measure and display resistance of the glow plug to compare reading against the glow plug specification and identify the condition of the glow plug
- Simple, quick and easy to use
- Features easy to read professional digital screen and shock resistant rubber moulded casing
- Uses 9v battery with auto switch off function to eliminate wastage
- User guide included



311290

Inner Tie Rod Tool – Multi-Purpose

- Replaces inner tie rods without the need to remove the steering rack
- Ideal tool for all steering service and repair work
- Unique design prevents damage to steering components
- Universal tool with adjustable sizing to suit a variety of applications
- Manufactured from high grade tempered steel ensures a long service life
- Operating capacity: 33-42mm



308011

Hose Cutter Air Conditioning – 14mm

- Cuts through vinyl, poly and most hoses up to 14mm in diameter
- Heat treated stainless steel blade for maximum durability
- Handy pocket size ideal for use in limited spaces
- Overall length: 150mm



313027

Belt Moulding Removal Tool

- Handy tool for quick and easy belt moulding removal work
- Designed to remove the belt mould without damaging the painted surface of the door
- Insert between window glass and door, engage moulding clips with tool blade and pull up to release clips
- Plastic and rubber dual composite handle for strength and comfort
- Made from chrome vanadium steel
- Overall length: 250mm



313028

Manual Vacuum Dent Puller

- Heavy duty and durable suction dent puller with slide hammer to assist in panel reshaping
- Maintains a solid and secure grip without damaging the painted surface of the panel, while the 2.5kg slide hammer eases out the dent
- Manual vacuum pump allows for complete portability
- Ideal specialist tool for workshops and DIY use
- Supplied with 3 suction pads and 1 hook
- User guide included



321039

Mini Precision Hammer

- Suitable for all panel and trim work
- The lightweight and compact design allows for use in confined areas
- Fitted with one steel face and one rubber face that deliver precise force
- The handle contains a built in pry bar to remove trim without damage
- Overall length: 170mm



321041

Mini Pocket Saw


- Retractable 90mm hardened alloy steel blade
- Ergonomic composite plastic and rubber handle
- Firm locking blade with safety button release
- Ergonomic composite plastic and rubber handle
- Cuts wood, PVC pipe and sheet metal
- Overall length: 220mm



321042

Scaffolder's Ratchet Podger

- Quad size ratcheting socket 12, 13, 17, 19mm
- Designed for scaffolding and steel work applications
- Features a tapered end design for easy bolt hole alignment
- Reliable in built reverse lever and attachment hole
- Manufactured from robust drop forged chrome vanadium for increased service life



Length	Depth	Height	Weight
245mm	40mm	50mm	460g

VG210LP

Lock Grip Plier Slide Hammer Puller

- Locking pliers puller for all applications
- 1kg slide hammer provides enough force to remove the most stubborn items
- Ideal tool for the easy removal of rusty bolts, nails, staples, dowels and split pins
- 210mm locking pliers feature a curved jaw that grips the item and prevents slippage
- Slide hammer length: 370mm
- Overall length: 600mm




321903 | 321904

Precision Measuring Sets

- Professionals' measuring sets for ultimate precision and accuracy
- Heat treated and hardened stainless steel with photographically etched markings
- Satin chromed for easy reading and identification
- Accurate to Japanese Industrial Standard B 7516 – Grade 1 specifications
- Both sets supplied in custom moulded high grade EVA foam tray
- Provides an easy, neat and secure storage solution
- Made in Japan

- Attractive POS packaging
- Hang sell capability



321903 Contents

Part No.	Description	Size
150B6	Rule - Metric & Imperial	150mm / 6inch
301959	Square - Metric	150 x 75mm
700A	Taper Gauge - Metric	0 - 15mm

321904 Contents

Part No.	Description	Size
301955	Protractor with Rule	180° / 100mm
300M	Rule - Metric	300mm
50150	Spring Divider - Solid Nut	150mm
321015	Square - Metric	300 x 150mm
700A	Taper Gauge - Metric	0 - 15mm
321998	Scriber - Pen Style with Pocket Clip	135mm

224030 | 224040 | 224060

Twin & Triple Head Puller Sets

- Twin and triple leg puller sets supplied in custom moulded high grade EVA foam
- Easy, neat and secure storage solution for workshop tool drawers
- Manufactured from drop forged chrome vanadium alloy steel to increase rigidity
- Double ended leg pullers are suitable for internal and external applications
- Designed for easy removal of bearings, pulleys, gears and sprockets
- Suitable for twin and triple leg set up

Part No.	Spread	Reach
224030	75mm	60mm
224040	100mm	70mm
224060	150mm	120mm

- Attractive POS packaging
- Hang sell capability



Suitable for twin and triple leg set up




245050 | 245075 | 245105 | 245150

Bearing Separators

- Designed for removing gears and bearings where access is available behind the item
- Two knife edges ensure a secure pulling surface
- Drop forged hardened alloy steel, used in conjunction with two leg mechanical pullers, hydraulic pullers or sliding beam applications
- Supplied in custom moulded high grade EVA foam tray
- Easy, neat and secure storage solution for workshop tool drawers



Part No.	Capacity (Min-Max)	Thread Size	(A)	(B)
245050	30-50mm	3/8"	50mm	60mm
245075	50-75mm	3/8"	80mm	90mm
245105	75-105mm	1/2"	90mm	110mm
245150	105-150mm	5/8"	120mm	150mm



- Attractive POS packaging
- Hang sell capability




ELECTRIC DRILL ACCESSORIES

321035 | 321036

Countersink


- Made from tempered and hardened carbon steel
- Provides flush mount for countersunk screws
- 6mm shank size
- Made in Japan

Part No.	Suits	Shank Size
321035 Light Duty	Plastics and Wood	6mm
321036 Heavy Duty	Plastics, Wood, Mild Steel and Aluminium	6mm



321035

321036



321037

Router Drill Bit


- Unique tool for enlarging and shaping holes, scroll cutting and smoothing
- Creates own initial starting hole and cuts as per direction tool is moved
- Made of solid carbide for 30 x longer life than normal steel
- Not suitable for hard steel
- 6mm shank size
- Made in Japan



321038

Rotary File Drill Bit

- Unique tool for milling, filing and shaping metal
- Made of solid carbide for 30 x longer life than normal steel
- Creates own initial starting hole and shapes as per direction tool is moved
- 6mm shank size
- Made in Japan



TFR250B

Automotive File Set

- Premium European made file set specifically for the automotive industry
- Set includes three second cut files and one bastard cut flat file
- Contents have been chosen to best cater for the miscellaneous requirements of a professional mechanic
- Precisely cut using state of the art manufacturing equipment in order to give the best working file
- Individually hardened and finished with a specially formulated protective anticorrosive oil
- This set is supplied in a POS friendly box with a custom moulded plastic tray

Contents

File Type	File Length	Cut
Flat File	250mm	Bastard Cut
Round File	250mm	2nd Cut
Half Round File	250mm	2nd Cut
Square File	250mm	2nd Cut



311021

Universal Press Support

- For safe and easy shop press work, including mounting and demounting jobs
- Infinitely adjustable to suit a myriad of objects and applications e.g. wheel hub nuts
- Creates three contact points for maximum stability and security, without any swivelling
- Features press plate 200 x 240 x 40mm, swivel plate for complete versatility and adjustable anvil bolts
- Supplied with vehicle application template to copy and fill out
- Made in Germany

To see video scan here
using QR code app



321045

Universal Spanner Extender

- Provides additional leverage and increased force for stubborn and tight nuts
- Increases length for extra reach and access to otherwise unreachable and awkward areas
- Suitable for use with spanners/wrenches, allen keys, ratchets, torque wrenches, multi grips
- Suitable for use with spanners up to 26mm wide shank
- Features 1/2" square drive socket for additional applications
- Overall length: 340mm
- German engineered and manufactured from high quality drop forged and hardened, chrome vanadium steel

To see video scan here
using QR code app

